

Date: 27/11/2025

From,

Ajimon Sulaiman Rawther
Parambivila Veedu,
Kambaladi Poruvazhy P.O,
Kollam District,
Kerala. 690520

To

MoEF Regional Office
Southern Zone, Kendriya Sadan,
4th Floor, E & F Wing, II Block,
Koramangala, Bangalore – 560 034

Respected Sir/Madam,

Sub: Submission of Half yearly compliance report in respect of Granite Quarry project of Mr. Ajimon Sulaiman Rawther in Survey no. 375/1, 375/2, 375/3 (Puthoor Village) & 381/1, 381/1-2, 381/1-3, 381/8, 381/10 (Kalayapuram Village) in Kottarakkara Taluk, Kollam District, Kerala State-regarding.

Ref: Environmental Clearance issued vide letter No. 187 /Q/2023 dated 22.12.2023

With respect to above subject, we are herewith submitting the detailed half yearly Compliance Report for the period from **April 2025 to September 2025** to all the conditions stipulated in the Environmental Clearance (EC) issued vide reference cited above.

Thanking you

Yours faithfully

AJIMON SULAIMAN RAWTHER

Copy to: The Member Secretary, State Level Environment Impact Assessment Authority, 4th floor, KSRTC terminal complex, Thiruvananthapuram – 695 014

COMPLIANCE REPORT FOR QUARRY PROJECT OF AJIMON S

RE-SURVEY NOS : 375/1, 375/2, 375/3 (Puthoor Village) &
381/1, 381/1-2, 381/1-3, 381/8, 381/10 (Kalayapuram Village)

EXTENT : 3.1890 HECTARES

VILLAGE : KALAYAPURAM & PUTHOOR

TALUK : KOTTARAKKARA

DISTRICT : KOLLAM

STATE : KERALA

ENVIRONMENTAL CLEARANCE

187 /Q/2023 DATED 22.12.2023

(File No. 1969/EC2/2022/SEIAA, DATED: 22-12-2023)

HALF YEAR COMPLIANCE REPORT

FOR THE PERIOD FROM APRIL 2025 TO SEPTEMBER 2025

TABLE OF CONTENTS

Item number	DESCRIPTION	Page number
I	About the proponent	4
II	About the project	4
	Project category	4
	Project location	4
	Project extent and activity	4
	Project description	4
III	Report of compliance	5
	Compliance of specific condition	5-11
	Compliance of general condition	12-29
IV	ANNEXURES	
	Annexure -1 Notarized Affidavit	30
	Annexure -2 E C	34
	Annexure -3 EMC	50
	Annexure 4– Panchayath License	51
	Annexure -5 Pollution Certificate	58
	Annexure -6: Explosive License	60
	Annexure -7: Mines Manager Certificate	65
	Annexure -8 Lab Report	66
	Annexure-9 Newspaper Advertisement	73
V	FIGURES	
	Fig 1: Photograph of Compensatory Afforestation	5
	Fig 2: Photograph of Siltation Pond	6
	Fig 3: Photograph of drain leading to pond	7
	Fig:4 Photograph of Rubble wall	8
	Fig:5 Photograph showing CER Utilization	8
	Fig 6: Photograph showing solar panel installation	9
	Fig 7: Photograph showing fenced with barbed wires	13
	Fig 8: Photograph showing signboards , boundary pillars	14
	Fig 9: Photograph showing details of the environmental clearance prominently displayed in a metallic board	14
	Fig 10: Photograph of magazine	15
	Fig11: Photograph showing black topped road	16
	Fig 12: Photograph showing blasting time details	19
	Fig 13: Photograph of speed limit board	20
	Fig14: Photograph of OB Dump	23

	Fig 15: Photograph of water sprinklers	24
	Fig 16: Photograph of laborers wearing protective helmet	25
	Fig17: Photograph of first Aid facility	26

I.

ABOUT THE PROPONENT

Mr Ajimon S, Proprietor of Granite Building Stone Quarry, residing at Parambivila Veedu, Kambaladi ,Poruvazhy P.O, Kollam District 690 520

State Environment Impact Assessment Authority (SEIAA) Kerala accorded Environmental Clearance No 187/Q/2023 dated 22-12-2023 to the quarry project in Kalayapuram & Puthoor village, Kottarakkara Taluk, Kollam.

ABOUT THE PROJECT

a. Project Category:

The project comes under the Category B, Activity1(a), (i) of Schedule of EIA Notification2006 and subsequent amendments.

b. Project Location:

Re-Survey Nos. 375/1, 375/2, 375/3 (Puthoor Village) & 381/1, 381/1-2, 381/1-3, 381/8, 381/10 (Kalayapuram Village) of Kottarakkara Taluk, Kollam. The proposed project site falls within latitude and longitude value:

Latitude (N)	09°02'22.43"N to 09°02'22.60"N
Longitude (E)	76°44'46.45"E to 76°44'45.80"E

c. Project Extent and Activity:

The project is for quarrying of 1,10,000 MT per annum of building stone from an area of 3.1890 hectares.

d. Project Description:

Ajimon S has obtained Environmental Clearance by SEIAA for five years. The proposed Granite (Building Stone) quarry over an area of 3.1890 hectares is located in Puthoor&Kalayapuram Village, Kottarakkara Taluk, Kollam District, Kerala. The proponent has obtained approval for mining plan to produce 1,10,000 MT per annum and the total project cost for the project is 1.95 crore.

II. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE
S-1	The Project Proponent shall carry out quarrying as per the approved Mining Plan and the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.	The Project Proponent is carrying out quarrying strictly as per the approved Mining Plan and the Specific Conditions.
S-2	The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.	The Environmental Clearance (EC) became valid upon execution of the permit/lease issued by the Department of Mining and Geology. A copy of the lease order has already been submitted to SEIAA prior to the commencement of mining activities.
S-3	The EC issued will be subject to a review by SEAC after every 5 years through field verification to ensure that mining is carried out sustainably as per the EC conditions.	The EC is issued initially for the project life of 5 years, from the date of execution of valid mining lease/permit from the Department of Mining and Geology for the quantity re-assessed by the Mining & Geology Department as per Specific Condition (4) and then to extend the EC period to cover the project life of 10 years, from the date of execution mine lease / permit, subject to the review by SEAC at the end of every five years
S-4	The mining should be limited to a maximum depth of 55m above MSL instead of 45m above MSL considering the depth to water table. The mineable resources shall be reworked accordingly by the Mining and Geology Department while approving the Scheme of Mining / issuing the lease or permit.	Mining operations will be limited to a maximum depth of 55 m above MSL, as stipulated.

S-5	The project proponent should ensure, the lowest bench should not intercept local ground water table.	The water table level will not be intersected as the lowest contour is very much above the water table depth
S-6	The green-belt should be developed prior to the commencement of mining	Green belt is provided
S-7	Drainage system incorporating garland canal, silt traps, siltation pond and outflow channel connecting to a natural drain should be provided prior to the commencement of mining.	Construction of siltation pond and outflow channels are under process
S-8	Overflow water from the siltation pond should be discharged to the nearby natural drain after adequate filtration.	Directions should be strictly followed. The work is under progress. Only clear water will be let out to the natural drain after subjecting to the de-siltation in sedimentation pond.
S-9	The impact of vibration due to blasting on the houses and other built structures within 500m distance from the project boundary should be monitored in terms of Peak Particle Velocity and amplitude for maximum charge per delay and included in the Half Yearly Compliance Report.	Vibration study will be done and should be included in HYCR
S-10	Garland drain, silt-traps, siltation ponds and outflow channel should be desilted periodically and geo-tagged photographs of the process should be included in the half yearly compliance report (HYCR).	Under construction
S-11	Drainage water should be monitored at different seasons by an NABL accredited lab and clear water should only be discharged into the natural stream. Geotagged photographs of the drainage and sampling site should be submitted along with HYCR.	Conditions will be strictly followed
S-12	Geotagged photographs of the progress of compensatory afforestation should be submitted along with HYCR	Compensatory afforestation had begun in the site but the survival rate was low due to unpredictable climatic condition.

S-13	Overburden should be stored at the designed place and gabion wall should be provided for the topsoil and overburden storage sites	Overburden is dumped in the designed place and the gabion wall construction is under process
S-14	CER Plan should be implemented within the first 2 years and it should be operated and maintained till the mine closure plan is implemented.	CER plan is followed as per the approved mining plan
S-15	Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5 pm).	The conditions are followed.
S-16	Adequate sanitation, waste management and restroom facilities should be provided to the workers.	Adequate sanitation, waste management and restroom facilities are provided
S-17	Adequate energy conservation measures should be implemented including solar power installations. At least 40% of the energy requirement shall be met from the solar power	Solar power is provided in the site
S-18	Adequate measures should be adopted to harvest the rainwater as per the guidelines issued by the Central Ground Water Authority.	Rainwater pit is proposed at the end of the life of mine.
S-19	Environment Management Cell (EMC) should include one subject expert in environment management. The proceedings of the monthly meeting of the EMC should be submitted along with the HYCR.	The Environment Management Cell (EMC) has been constituted with the required subject expert in environment management.
S-20	Adequate number of avenue trees of indigenous species should be planted along both sides of the haulage road.	The conditions will be followed
S-21	If the abandoned quarry located near to the site belong to project proponent, he/she shall carry out final closure plan within 6 months as per the approved mine closure plan and submit the progress of the closure activities along with the HYCR.	CER activities were done Emp will also be implemented as per plan.

S-22	Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.	Blasting mats are provided during blasting.
S-23	As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost.	EMP and CER are under process
S-24	In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.	NONEL technology is used for blasting
S-25	As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF &CC in obedience to the directions of the Hon'ble	Re grassing of the mining area will be carried out as per approved progressive quarry closure plan.


	Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.	
S-26	The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.	All Environmental Clearance (EC) conditions are being strictly followed. No violations have occurred, and the project continues to operate in full compliance with the EC conditions

B GENERAL CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE
G-1	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The proponent has provided notarized affidavit (indicating the number and date of environmental Clearance proceedings) that all the conditions stipulated in the EC has been scrupulously followed. (Details attached as Annexure 1)
G-2	All the statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.	Scrupulously follows the directions contained.
G-3	The project proponent should advertise in newspapers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in . The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	Advertised in local newspaper and submitted a copy is (enclosed as Annexure:10)

G-4	The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.	Scrupulously follows the directions contained. (Panchayath certificate is attached as Annexure 5)
G-5	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc. shall be conspicuous and maintained at all times.	Scrupulously follows the directions contained.
Fig 7: Photograph showing fenced with barbed wires  		

Fig 8: Photograph showing signboards



G-6	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The conditions of Environmental Clearance are prominently displayed in a metallic board.
-----	--	---

Fig 9: Photograph showing details of the environmental clearance prominently displayed in a metallic board



G-7

Explosives should be stored in magazines in isolated place specified and approved by Explosive Department. Mats to reduce fly rock blasts to a maximum of 10PPV should be provided.

Scrupulously follows the directions contained. **(Explosive license is attached as Annexure 7)**

Fig 10: Photograph of Magazine



G-8	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per Stipulations of Explosive Department.	Warning alarms shall be installed in the project site.
G-9	Access roads to quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.	Access road to quarry is tarred to contain dust emissions that may arise during transportation of materials.

Fig11: Photograph showing black topped road



G-10	A separate environmental management cell (EMC) with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. The cell should have representative of Bio-diversity Management Committee of the Panchayath and a representative of NGO. If any active in the area. The EMC should meet at least once in six-months and review the activities and minutes should be a part of the compliance report.	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a Senior Executive, who will report directly to the Head of the Organization. (Details of EMC is attached as Annexure 3)
------	---	--

G-11	Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the amendments thereby.	Scrupulously follows the directions contained.
G-12	The quarrying operation shall be restricted between 7 AM to 5 PM	The Conditions are followed

Fig I2 : Photograph showing Blasting time details



G-13	Rain water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR. Unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	The Conditions are followed.
------	--	------------------------------

G-14	Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The Maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out a place having a slope greater than 45°.	The Conditions are followed.
G-15	The Height of any bench shall not exceed five meters and breadth shall not less than the height.	Height of the benches is maintained at 5x 5 m.
G-16	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Ensured that no natural water course and/or water resources were obstructed due to any mining operations.
G-17	A Minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures and from forest boundaries or any other ecologically-sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.	Minimum buffer distance of 50m from the boundary of the quarry to the nearest dwelling unit or other structure is provided. 50m buffer distance is maintained from forest boundaries
G-18	The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and	Scrupulously follows the directions contained.

	maintenance of planted seedlings shall be ensured by the project proponent.	
G-19	The Proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad-leaved plants.	The conditions followed
G-20	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent. This eco-restoration should follow scientific standards available for restoration. Full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.	To maintain eco restoration, periodical afforestation and maintenance of the plantation will be made, rain harvesting and dust controlling will be done. Mining will be carried by ecofriendly method.
G-21	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	At the time of the closure of the mine, it shall be ensured that the directions contained are scrupulously followed.
G-22	Control measures on noise and vibration prescribed by KSPCB should implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/ specific conditions.	Quarrying activities is limited as per KPSCB guidelines.
G-23	Periodical monitoring of the vibrations at specified location (preferably at a distance of 50 m and 100m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.	Scrupulously follows the directions contained.

G-24	Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.	Scrupulously follows the directions contained.
Fig 13: Photograph showing sign boards 		
G-25	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.	To reduce sound amplifications green belt is provided.
G-26	Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A Licensed person should supervise/control the blasting operations.	Licensed person is appointed to supervise the blasting operations. (Details is attached as Annexure 8)
G-27	Measures should be taken for control of noise levels below 85dBA in the work environment.	Measures have been taken for the control of noise levels below 85DbA in the work environment such as green belt is provided and regular monitoring of noise is done and indicates all the values to be within stipulated norms. (Lab report of noise is attached as annexure 9)

G-28	Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.	Scrupulously follows the directions contained.
G-29	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to SEIAA.	Regular monitoring reports indicated all the values to be within stipulated norms and are reported in the six-monthly reports to SEIAA.
G-30	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green development etc. The drains shall be regularly desilted and maintained properly, particularly, after monsoon.	Scrupulously follows the directions contained.
G-31	Regular Monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	Scrupulously follows the directions contained
G-32	Garland drains and slit traps are to be provided in the slopes around the core area to channelize storm water. De silting of Garland canal and slit traps have to be attended on a daily basis. A Labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharges standards of CPCB.	Scrupulously follows the directions contained.
G-33	In the case of any change(s) in the	Scrupulously follows the directions

	scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.	contained.
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Scrupulously follows the directions contained. (Details is attached as Annexure-6)
G-35	The top soil, if any, shall be temporarily stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dumpsite(s) only. The maximum height of the dumpshall not exceed 8m and width 20m and overall slope of dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface runoff. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent	Topsoil and overburden removed from the site is stored at an earmarked places and use the same in future for reclamation purposes

erosion/ flow of sediments during rains. The entire excavated area shall be backfilled.

Fig 14: Photograph of OB Dump



G-36	All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution, Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations	Scrupulously follows the condition.
G-37	All Vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking Centre. Washing of all Vehicles shall be inside the lease area.	All the vehicles being used in the Quarry are having PUC Certificate and wheel washing facility is being made inside the lease area.
G-38	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 Monitoring of	Adequate safeguard measures to reduce emission of high levels of PM10 and PM2.5 along haul road, loading and unloading points by regular water sprinkling and wetting of haul roads.

	Ambient Air Quality to be carried out based on the Notification 2009. As amended from time to time by the Central Pollution Control Board.	Periodical monitoring of ambient air quality reports indicated all the values to be within stipulated norms. (Lab report of air is attached as annexure 9)
G-39	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.	Scrupulously follows the directions contained.
G-40	Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/ SEAC should be carried out leading to Environmental stability of the project region. The activities carried out under CER should be part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the state Environment Impact Assessment Authority (SEIAA) along with year wise expenditure.	Activities towards Corporate Environmental Responsibilities are being implemented.
G-41	The Project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying/Mining operations. The workers on the site should be provided with in-site accommodation or facilities at a suitable boarding place. Protective equipment such as ear muffs, helmet etc.	Scrupulously follows the directions contained

Fig 16: Photograph of laborers wearing protective helmet



G-42	The Proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.	Scrupulously follows the directions contained
G-43	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in half yearly compliance reports.	Project Proponent has established a First Aid Facility in the Quarry area and also following an efficient and approved surveillance program for workers periodically to ensure the health and safety of the workers.

Figure 17: Photograph of first Aid facility



G-44	The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an ecofriendly manner.	Scrupulously follows the directions contained
G-45	If Government Land is partly or fully used for mining, the area shall be returned at the end of the lease period after mine closure with separate demarcation with suitable survey marks.	Scrupulously follows the directions contained
G-46	Any accident occurring in the mined-out area after the lease period due to negligence in carrying out safety measures and non- closure. Will lead to suspension of all EC obtained for mining by the proponent.	The conditions followed.
G-47	In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.	Scrupulously follows the directions contained
G-48	The proponent shall submit Half Yearly Compliance Reports (1 st of June & 1 st of December) on the status of compliance of the stipulated EC conditions including results of	Half yearly compliance reports will be submitted

	monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31 st March every year.	
G-49	The Project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located At Bangalore/SEAC/SPCB/CPCB/ dept of Mining and Geology. While monitoring compliance of the stipulated conditions by furnishing the requester data/ information monitoring reports.	Scrupulously follows the directions contained

G-50	The above conditions shall prevail notwithstanding anything to the contrary., in consistent or simplified contained in any other permit license on consent given by any other authority for the same project.	Aware of the condition.
G-51	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	All the safeguard measures are done as per Environment (Protection) Act, 1986.
G-52	The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.	The conditions followed
G-53	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Environmental Clearance is subjected by SEIAA. And there are no pending court cases. (Details of EC is attached as Annexure 2)
G-54	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	No appeal has been done regarding grant of EC within a stipulated period of 30 days from the date of grant of EC.
G-55	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions.	Aware of the condition.
G-56	The SEIAA may revoke in suspend the order for non-implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to after/modify the above conditions or stipulate any further condition in the interest of environmental protection.	Aware of the condition.

G-57	As per regulation no.106(2) of metalliferous mines regulation under Mines Act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.	The height and breadth of benches will be maintained.
------	---	---

നോൺ ജുഡീഷ്യൽ

NON JUDICIAL

₹ 100

₹ 100

കേരള സർക്കാർ
GOVERNMENT OF KERALA
e-Stamp

e-Stamp Serial Number : 202526000004996746

Verification Code : 709768926V

Govt. Reference No.(GRN)	: KL031576494202526E
Purpose	: Affidavit
Amount of Stamp Paper Purchased in Numeral	: ₹ 100
Amount of Stamp Paper Purchased in Words	: Rupees One Hundred
Stamp Paper Purchased on	: 28/10/2025 11:15:26
First Party Name	: AJIMON SULAIMAN RAWTHER
First Party Address	: PARAMBIVILA VEEDU ,KAMPALADY ,PORUVAZHY
Second Party Name	: CHAIRMAN
Second Party Address	: SEIAA,KERALA
Vendor Code & Name	: 04032151 - Sunilkumar. T
Treasury Code & Name	: 0403 - Sub Treasury Sasthamkotta

SUNIL KUMAR. T
ACTING VENDOR
SASTHAMCOTTA

Please write or type below this line

AFFIDAVIT

Sri. Ajimon Sulaiman Rawther , Parambivila Veedu, Kambaladi, Poruvazhy P.O, Kollam District do hereby solemnly affirm and confirm as follows:-

1. That I have proposed a Granite Building Stone Quarry which is situated for an area of 3.1890 Ha at Re- Survey Nos. 375/1 , 375/2, 375/3 in Puthoor Village & Re-Survey Nos. 381/1, 381/1-2, 381/1-3, 381/8, 381/10 in Kalayapuram Village, Kottarakkara Taluk, Kollam District.



T. SASIDHARAN UNNITHAN
ADVOCATE & NOTARY
Sasthamcotta, Kollam District
Kerala State, India. Mob: 9496778067
E-mail : thengamamsasi48@gmail.com

Ajimon Sulaiman Rawther
Ajimon Sulaiman Rawther



This can be verified by
https://www.estamp.treasury.kerala.gov.in/index.php/estamp_search using e-Stamp
Serial Number and Verification Code.


In case of any discrepancy, please inform the competent authority.

1. That I will constitute an Environmental Monitoring cell for out project.
2. That I will provide the systems to minimize dust emissions.
3. That I will provide adequate safety measures for the construction workers during the construction phase.
4. That I will provide green belt species shall be planted in the excavated pit for eco restoration.



Ajimon Sulaiman Rawther




T. SASIDHARAN UNNITHAN
ADVOCATE & NOTARY
Sasthamcotta, Kollam District
Kerala State, India. Mob: 9496778067
E-mail: thengamamsasi48@gmail.com

Solemnly affirmed and signed before me
by the deponent who is personally
known to me / ~~had been identified by~~

~~Who is known to me~~ at my
office, Sasthamcotta on this the
29th day of October 2021


T. SASIDHARAN UNNITHAN
ADVOCATE & NOTARY
Sasthamcotta, Kollam District
Kerala State, India. Mob: 9496778067
E-mail: thengamamsasi48@gmail.com



ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)

Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Kerala)

To,

The Applicant

AJIMON SULAIMAN RAWTHER

Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam District, Kerala. - 690520

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/KL/MIN/257315/2022 dated 14 Sep 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC23B001KL180583 |
| 2. File No. | 1969/EC2/2022/SEIAA |
| 3. Project Type | New |
| 4. Category | B2 |
| 5. Project/Activity including Schedule No. | 1(a) Mining of minerals |
| 6. Name of Project | Granite Building Stone Quarry of Ajimon S |
| 7. Name of Company/Organization | AJIMON SULAIMAN RAWTHER |
| 8. Location of Project | Kerala |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 22/12/2023

(e-signed)
Dr Rathan U kelkar IAS
Member Secretary
SEIAA - (Kerala)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



**PROCEEDINGS OF THE
STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY – KERALA, THIRUVANANTHAPURAM**

*(Present : Dr.H.Nagesh Prabhu IFS (Retd), Chairman,
Shri.K.Krishna Panicker, Member, Dr.Rathan U. Kelkar IAS, Member Secretary)*

**Sub: - Environmental Clearance for the Granite Building Stone Quarry Project of
Sri. Ajimon S, Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam, Kerala -
Granted – Orders issued.**

State Level Environment Impact Assessment Authority, Kerala

Proposal No. SIA/KL/MIN/257315/2022

File No. 1969/EC2/2022/SEIAA

Ref: 1. Application for EC received from Sri. Ajimon S on 14/09/2022.
2. Minutes of the 150th SEAC meeting held on 7th to 8th September 2023.
3. Minutes of the 134th meeting of SEIAA held on 13th & 14th November 2023.

ENVIRONMENTAL CLEARANCE NO. 187 /Q/2023

Sri. Ajimon S, Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam submitted an application for Environmental Clearance through PARIVESH for the Granite Building Stone Quarry Project for an area of 3.1890 Ha at Re-Survey Nos: 375/1, 375/2, 375/3 in Puthoor Village & Re-Survey Nos: 381/1, 381/1-2, 381/1-3, 381/8, 381/10 in Kalayapuram Village, Kottarakkara Taluk, Kollam.

I) Project Details

SL.No	Particulars	Details
1	Name of the Project	Granite Building Stone Quarry Project of Sri. Ajimon S
2	Proposed Activity	Mining of Granite Building Stone

3	Name of the Sector & Schedule No. (in the EIA Notification, 2006)	Non Coal mining, Activity 1(a), Category B2
4	Name & Address of the Project Proponent	Sri. Ajimon S, Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam District – 690 520
5	Project Location	
	a) Re-Survey Nos.	375/1, 375/2, 375/3 (Puthoor Village) & 381/1, 381/1-2, 381/1-3, 381/8, 381/10 (Kalayapuram Village)
	b) Revenue Village	Kalayapuram & Puthoor
	c) Taluk	Kottarakkara
	d) District	Kollam
7	Extent (in Hectare)	3.1890 Ha
8	Project Cost	Rs. 195 Lakh
9	Mineable Reserve	The Mining & Geology Department shall rework the mineable quantity as per the Specific Condition no.(4)
10	Water Requirement & Source	4 KLD Open well and tanker
12	Date of field inspection	02.10.2022

(II) EMP Details

Environment Monitoring	Capital Cost (Rs.)	Recurring Cost (Rs.)
a. Air Pollution Control Water sprinkler	2,50,000/-	50,000/-
b. Water Pollution Control Garland Drains Water storage Tank Silt traps	5,00,000/- 4,50,000/- 2,00,000/-	75,000/- 75,000/- 50,000/-
c. Green Belt Development Including cost of afforestation - Saplings, Plant Guard including cost of Landscaping	4,00,000/-	1,00,000/-
d. Domestic Effluent management - Dumping Yard retaining wall	5,00,000/-	75,000/-
e. Occupational Health and Safety - Helmet, Mask, Hand Gloves, Mining Safety Shoes	1,00,000/-	
f. Reclamation/Rehabilitation of Mined out Area - Saplings, Plant Guard	2,00,000/-	50,000/-

including cost of Landscaping		
TOTAL COST OF EMP	Rs. 26,00,000/-	Rs.4,75,000/- (per annum)
		Rs. 42,75,000 (for nine years)

(iii) CER Details

Sl.No	Activity	Amount (Rs.)	Maintenance Cost (Rs.)
Ist Year			
1	Installing Smart Class in Govt. L.P.School, Kampalady in consultation with School Authority	Rs.3,90,770/-	Rs.10,000/-
2	Installing Smart Class in Govt. L.P.School, Muthuplakkad in consultation with School Authority	Rs. 3,90,770/-	Rs.10,000/-
3	Installing Smart Class in Govt. L.P.School, Karimthottuva in consultation with School Authority	Rs. 3,90,770/-	Rs. 10,000/-
4	Construction of arch and flooring in Govt.L.P.School, Panappetty in consultation with School Authority	Rs. 3,86,200/-	Rs. 25,060/-
IInd Year			
1	Construction of new building for autism children in consultation with Sasthamcotta Block Project Coordinator	Rs. 12,00,000/-	Rs. 75,000/-
2	Construction of an auditorium and an open hall for Govt. L.P.School, Thuruthikkara in consultation with School Authority	Rs.5,35,600/-	Rs. 25,060/-
3	Installing Smart Class in Govt. L.P. School, Poruvazhy in consultation with School Authority	Rs. 5,40,770/-	Rs.10,000/-
TOTAL		Rs.38,34,880/-	Rs. 1,65,120/-

2. In the 150th SEAC meeting, the Committee recommended EC for the mine life of 10 years subject to the certain Specific Conditions in addition to the General Conditions.

3. In the Minutes of the 134th meeting of SEIAA held on 13th & 14th November 2023 the Authority decided to issue Environmental Clearance initially for a period of 5 years and then to extend the EC period to cover the project life of 10 years, from the date of execution of mine lease / permit, subject to the review by SEAC at the end of every five years, to verify whether the Project Proponent has violated any of the EC conditions and thereby caused any damage to the Environment in the project region.

The EC is subject to General Conditions and the following Specific Conditions.

1. *The Project Proponent shall carry out quarrying as per the approved Mining Plan and the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.*
2. *The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.*
3. *The EC issued will be subject to a review by SEAC after every 5 years through field verification to ensure that mining is carried out sustainably as per the EC conditions.*
4. ***The mining should be limited to a maximum depth of 55m above MSL instead of 45m above MSL considering the depth to water table. The mineable resources shall be reworked accordingly by the Mining and Geology Department while approving the Scheme of Mining / issuing the lease or permit.***
5. *The project proponent should ensure, the lowest bench should not intercept local ground water table.*
6. *The green-belt should be developed prior to the commencement of mining. Choice of the species should be based on criteria such as (i) native trees; (ii) thick foliage; (iii) fruit bearing that would attract birds and, (iv) otherwise valuable with medicinal or soil fertility enhancer etc. The suggested species are *Phyllanthus emblica* (Nelli), *Syzygium cumini* (Njaval), *Writia tinctoria* (Dhanthapala) , *Ficus bengalensis* (Peral), *Ficus racemosa* (Atti), *Bambusa bamboos* (Mullumula), *Dendrocalamus strictus* (Kallan mula), *Strychnos nuxvomica* (Kanjiram), *Terminalia cattappa* (Thanni), *Schleicher oleosa* (Poovam), *Artocarpus hirsutus* (Ayiniplavu) etc.*

- 7. Drainage system incorporating garland canal, silt traps, siltation pond and outflow channel connecting to a natural drain should be provided prior to the commencement of mining.*
- 8. Overflow water from the siltation pond should be discharged to the nearby natural drain after adequate filtration*
- 9. The impact of vibration due to blasting on the houses and other built structures within 500m distance from the project boundary should be monitored in terms of Peak Particle Velocity and amplitude for maximum charge per delay and included in the Half Yearly Compliance Report.*
- 10. Garland drain, silt-traps, siltation ponds and outflow channel should be desilted periodically and geo-tagged photographs of the process should be included in the half yearly compliance report (HYCR).*
- 11. Drainage water should be monitored at different seasons by an NABL accredited lab and clear water should only be discharged into the natural stream. Geotagged photographs of the drainage and sampling site should be submitted along with HYCR.*
- 12. Geotagged photographs of the progress of compensatory afforestation should be submitted along with HYCR*
- 13. Overburden should be stored at the designed place and gabion wall should be provided for the topsoil and overburden storage sites*
- 14. CER Plan should be implemented within the first 2 years and it should be operated and maintained till the mine closure plan is implemented.*
- 15. Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5 pm).*
- 16. Adequate sanitation, waste management and restroom facilities should be provided to the workers.*
- 17. Adequate energy conservation measures should be implemented including solar power installations. At least 40% of the energy requirement shall be met from the solar power*
- 18. Adequate measures should be adopted to harvest the rainwater as per the guidelines issued by the Central Ground Water Authority.*
- 19. Environment Management Cell (EMC) should include one subject expert in environment management. The proceedings of the monthly meeting of the EMC should be submitted along with the HYCR.*
- 20. Adequate number of avenue trees of indigenous species should be planted along both sides of the haulage road.*

21. *If the abandoned quarry located near to the site belong to project proponent, he/she shall carry out final closure plan within 6 months as per the approved mine closure plan and submit the progress of the closure activities along with the HYCR.*
22. *Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.*
23. *As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support. The indicated cost for implementation of CER activities shall be 2% of the project cost.*
24. *In the wake of occurrence of large scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of the causative factors that triggers landslides, formation of cracks in the surrounding buildings and disturbance to human and wildlife.*
25. *As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF&CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.*
26. *The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.*

4. Environmental Clearance as per the EIA Notification, 2006 is hereby accorded for the Granite Building Stone Quarry Project of Sri. Ajimon S, Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam for the Granite Building Stone Quarry Project for an area of 3.1890 Ha at Re-Survey Nos: 375/1, 375/2, 375/3 in Puthoor Village & Re-Survey Nos: 381/1, 381/1-2, 381/1-3, 381/8, 381/10 in Kalayapuram Village, Kottarakkara Taluk, Kollam initially for the project life of 5 years, from the date of execution of valid mining

lease/permit from the Department of Mining and Geology for the quantity re-assessed by the Mining & Geology Department as per Specific Condition (4) and then to extend the EC period to cover the project life of 10 years, from the date of execution of mine lease / permit, subject to the review by SEAC at the end of every five years, to verify whether the Project Proponent has violated any of the EC conditions and thereby caused any damage to the Environment in the project region, as per S.O.1807 (E) dated 12.04.2022 of MoEF&CC, subject to the Specific Conditions stipulated by SEIAA in Para 3 above, and all the environmental impact mitigation and management measures undertaken by the Project Proponent in the Form I, EMP, PFR and Mining Plan submitted to SEIAA. The assurances and clarifications given by the Project Proponent will be deemed to be a part of this Proceedings as if incorporated herein. Also the General Conditions for the project stipulated for mining (items 1 to 57), mentioned below will be applicable and have to be strictly adhered to.

5. The Environmental Clearance issued will also be subject to full and effective implementation of all the undertakings given in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including Progressive Mine Closure Plan as submitted with the application. The above undertakings and the conditions and the undertakings of the Mining Plan in (Mining), (Blasting), (Mines Drainage), (Stacking of Mineral rejects and Disposal of waste), (Environment Management Plan) & (Progressive Mine Closure Plan) as submitted will be deemed to be part of this Proceedings as conditions as undertaken by the project proponent, as if incorporated herein.

6. Validity of the Environmental Clearance will be initially for **Five (5) years** from the date of execution of valid mining lease/permit from the Department of Mining & Geology and then to extend to 10 years as per conditions stipulated in Para (4), subject to earlier review of EC in case of violation or non-compliance of conditions or genuine complaints from residents within the security area of the quarry.

7. Compliance with the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the Regional Office of the Ministry of Environment, Forest & Climate Change, Govt. of India, Bangalore. Necessary assistance for entry and inspection should be provided by the Project Proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring. Instances of violation if any shall be reported to the District Collector, Kollam

8. The Half Yearly Compliance Report (HYCRs) with name of the project, EC No. and date, the period of submission with its contents, compliance report and environmental monitoring data & covering letter have to be uploaded in the Parivesh Portal as per O.M. F.No.IA3-22/1/2022-IA-III(E)-17264 dated 14.06.2022 and the website of the Project Proponent. Hardcopy of HYCRs shall not be acceptable.

9. The given address for correspondence with the authorised signatory of the project is Sri. Ajimon S, Parambivila Veedu, Kambaladi Poruvazhy P.O, Kollam – 690 520

GENERAL CONDITIONS

- 1. The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.*
- 2. All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.*
- 3. The project proponent should advertise in news papers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in. The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.*
- 4. The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.*
- 5. The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.*
- 6. The details of Environmental Clearance should be prominently displayed in a*

metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.

- 7. Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.*
- 8. Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.*
- 9. Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.*
- 10. A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayath and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes should be a part of the compliance report.*
- 11. Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.*
- 12. The quarrying operation (blasting) shall be restricted between 7 AM and 5PM*
- 13. Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.*
- 14. Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45°.*
- 15. The height of any bench shall not exceed five meters and breadth shall not be less than the height.*
- 16. The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if*

any, originating from the mine lease shall be taken.

- 17. A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.*
- 18. The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project proponent.*
- 19. The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad leaved plants.*
- 20. Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.*
- 21. At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.*
- 22. Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.*
- 23. Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.*
- 24. Speed of trucks entering or leaving the mine site is to be limited to moderate*

speed of 25 kmph to prevent undue noise from empty trucks.

- 25. Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.*
- 26. Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/control the blasting operations.*
- 27. Measures should be taken for maintaining noise levels below 85 dBA in the work environment.*
- 28. Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.*
- 29. Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly compliance reports to SEIAA.*
- 30. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.*
- 31. Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage, if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.*
- 32. Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De-silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.*
- 33. In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project*

would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.

34. The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
35. The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.
36. All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.
37. All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area. .
38. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM₁₀ and PM_{2.5}. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.
39. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.
40. Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region.

The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure .

- 41. The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /Mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.*
- 42. The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.*
- 43. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.*
- 44. The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco friendly manner.*
- 45. If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.*
- 46. Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure , will lead to suspension of all EC obtained for mining by the Proponent.*
- 47. In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.*
- 48. The proponent shall submit Half Yearly Compliance Reports (1st of June & 1st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31st March every year.*

49. *The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.*
50. *The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license or consent given by any other authority for the same project.*
51. *The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.*
52. *The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.*
53. *The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.*
54. *Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.*
55. *Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.*
56. *The SEIAA may revoke or suspend the order, for non implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.*
57. *As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the height.*

Sd/-
Administrator, SEIAA
For Member Secretary, SEIAA

To,

Sri Ajimon S.
Parambivila Veedu
Kambaladi ,Poruvazhy P.O
Kollam District – 690 520

Copy to

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block,Koramangala, Bangalore-560034.(through e-mail: rosz.bng-mefcc@gov.in)
2. The Secretary to Government, Environment Department, Government of Kerala
3. The Director, Directorate of Environment & Climate Change, 4th Floor KSRTC Bus Terminal, Thampanoor, Thiruvananthapuram, Kerala 695001.
4. The District Collector, Kollam
5. The Director, Mining & Geology, Thiruvananthapuram -4.
6. The Member Secretary, Kerala State Pollution Control Board
7. The District Geologist, Kollam
8. The Tahsildhar, Kottarakkara Taluk, Kollam District
9. The Secretary, Kulakkada Grama Panchayat, Kollam
10. The Chairman, SEIAA.
11. Website.
12. S/f
13. O/c

Signature valid

Digitally signed by: Dr. Rathan U kelkar
IAS
Designation: Member Secretary
Date and Time: 12/22/2023 8:49:38 PM

ANNEXURE 3 - ENVIRONMENT MONITORING CELL

An environmental monitoring cell was formed with Ajimon S head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below:

Sl. No.	Post	Name
1	Head of the monitoring cell	Mr. Ajimon S
2	Head in charge (Environment)	Mr. Shanavas
3	Senior Environmental Officer	Mr. Vipin
4	Environmental Officer	Mr. Manu
5	Name of the environmental officer in charge	Mr. Gopu
6	Name of the environment laboratory	Standards Environmental and Analytical Laboratories



ANNEXURE 4

കുളക്കാട് ഗ്രാമപഞ്ചായത്തിൽ നിന്നും
1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും
അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച്
ഫാക്ടറികൾ, വ്യവസായങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന
ലൈസൻസ്

നമ്പർ : JC1/6/2025-2026

തീയതി : 18.03.2025

ലൈസൻസിന്റെ പേരും മേൽവിലാസവും	ശ്രീ. അജിമോൻ, എസ്. പാമ്പിലവിള വീട്, കമ്പലടി, പോത്തുവരി, പി.ഒ.	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	എ.എസ്. ക്വാറി, പൊങ്ങൻപാറ	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	പാറ ക്വാറി നടത്തുന്നതിലേക്കായി	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	പുത്തൂർ വില്ലേജിലെ 375/1, 375/2, 375/3 കലയപുരം വില്ലേജിലെ 381/1, 381/1-2, 381/1-3, 381/8, 381/10 സർവ്വേ നമ്പരിൽ പെട്ട വസ്തുവിൽ	
ലൈസൻസ് കാലയളവ്	01-04-2025 മുതൽ 31-03-2026 വരെ	
ഇറക്കിയ ലൈസൻസ് ഫീസ്	₹15000	സീൽ നം: 1241306096 തീയതി: 18-03-2025
ഒന്നാഴിത്തുക	₹1250 + ₹1250	സീൽ നം: 1241306096 തീയതി: 18-03-2025
ലൈസൻസ് അനുവദിക്കുന്നതിനായി പാലക്കാട് നഗരപഞ്ചായത്തുകളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	14/06/2024 ലെ റെസിഡ്/147/2024/2025-ാം നമ്പർ ലൈസൻസ്	



സെക്രട്ടറി
കുളക്കാട് ഗ്രാമപഞ്ചായത്ത്
പി.ഒ. നം: 55-506
കുളക്കാട് ഗ്രാമപഞ്ചായത്ത്
മാവടി (പി.ഒ.), മലപ്പുറം - 9496041737



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. : KSPCB/KL/ICO/10085422/VAR/2024
Date of issue : 28-10-2024

CONSENT VARIATION ORDER

Consent No : KSPCB/KL/ICO/10085422/VAR/2024

Ref : 1)Consent No.KSPCB/KL/ICO/10054190/2024 dated 29/01/2024

The Integrated Consent to Operate issued as per reference above to M/s AS QUARRY , PONGANPARA, KOTTARAKKARA, KOLLAM is hereby modified and issued to M/s GRANITE BUILDING STONE QUARRY OF AJIMON.S , PONGANPARA, KOTTARAKKARA, KOLLAM. The consent cited under reference are integral part of this consent variation order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I.GENERAL

Item	Description
Name of the Establishment	GRANITE BUILDING STONE QUARRY OF AJIMON.S
Validity	31-12-2028
Fee Remitted	Rs.2,500/-

II.CONDITIONS

1. For continuing to operate beyond the validity date mentioned in the above table, application for the renewal has to be submitted through online two months in advance of the date of expiry of validity of consent. Late application will be accepted only with fine as applicable.
2. This consent is issued subject to the affidavit and request letter dated 21.10.2024 and is liable to be revoked if any statement is found false on verification

3. All other conditions of the Integrated Consent to Operate issued remain unchanged

Digitally signed by RACHEL THOMAS
Date: 2024.10.28 17:07:49 IST

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER



To

M/s GRANITE BUILDING STONE QUARRY OF AJIMON.S

PONGANPARA, KOTTARAKKARA, KOLLAM-691507

E-Mail : vijayvipin400@gmail.com

Contact Number :9447333180,

- 1.This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to www.keralapcbonline.com and search using Certificate Number/Name of the unit/Application Number in "Certificate Verification" link in the home page of the Board's Phoenix website.

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति
Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SE/KL/22/429(E127543)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri Ajimon S (अधिभोगी / Occupier : Shri Ajimon S), Parambivila Veedu, Kambaladi, Poruvazhy P.O., Town/Village - Kollam, District-KOLLAM, State-Kerala, Pincode - 690520



को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Individual

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

possess for use of Nitrate Mixture, Safety Fuse, Electric Detonators, Ordinary Detonator, - के उपयोग के लिए

Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	1500 Mtrs
3.	Electric Detonators	6,3	0	1000 Nos.
4.	Ordinary Detonator	6,3	0	1000 Nos.

(ख) किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

3 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/429(E127543)

दिनांक (Dated) 15/07/2024

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:

Survey No. 375/1, Block No. 10, ग्राम (Town/Village) : Puthur, Kottarakkara

जिला (District)

KOLLAM

राज्य (State)

Kerala

पिनकोड (Pincode)

690520

दूरभाष (Phone)

9447333180

ई. मेल (E-Mail)

फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities.

Two portable magazines of M (Sr. No. 17) & S (Sr.no. 9) type manufactured by Industrial Explosives Pvt.Ltd., Naggur, Quarry at Re.Sy.Block No.10, Re.Sy.Nos.375/1,2,3 of Puthur Village & Re.Sy.Nos.381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram Village, Kottarakkara Taluk, Kollam

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2028 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2028.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 21/03/2024

उप मुख्या विस्फोटक नियंत्रक | Dy. Chief Controller of Explosives
Ernakulam

Amendments :

- Amendment in Drawings/Facilities/Premises dated : 15/07/2024

नवीनीकरण के पृष्ठानक के लिए स्थान
Space for Endorsement of Renewalनवीकरण की तारीख
Date of Renewalसमाप्ति की तारीख
Date of Expiryअनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature of licensing authority and stampकानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

T. SASIDHARAN UNNITHAN
Area: KUNNATHUR TALUK
Reg. No. 3/99/KLM
Expiry Date: 16.04.2027T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Reg. No. 3/99/KLMDigitally signed by Deepak Kumar
Reason: Licence No. : E/SE/KL/22/429
Location: Ernakulam [E127543]
Date: 15-07-2024 15:05:15 PM



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SE/KL/22/429(E127543)

दिनांक (Date): 15/07/2024

सेवा में | To,

Shri Ajimon S,
Parambivila Veedu, Kamthaladi, Poruvazhy P.O., Town/Village - Kollam
District-KOLLAM, State-Kerala, Pincode - 690520

विषय: Survey No.375/1, Block No. 10, ग्राम Puthur, Kottarakkara, जिला KOLLAM, राज्य Kerala में मेसर्स Shri Ajimon S द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SE/KL/22/429(E127543) के संशोधन संदर्भ में।
(अखण्ड / सुविधाएं / परिसर में परिवर्तन)

Subject: Possession for Use of Explosives from magazine situated at Survey No.:375/1, Block No. 10, Puthur, Kottarakkara, Dist. KOLLAM, Kerala -Licence No.: E/SE/KL/22/429(E127543) granted in Form LE-3 of Explosives Rules, 2008 -
(Amendment in Drawings/Facilities/Premises).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 124761 दिनांक 30/06/2024 का संदर्भ ग्रहण करें।
Please refer to your letter no. 124761 dated 30/06/2024.

अनुज्ञप्ति संख्या E/SE/KL/22/429(E127543) अखण्ड / सुविधाएं / परिसर में परिवर्तन के संदर्भ में यथा संशोधित कर भेजी जा रही है।
The Licence No.: E/SE/KL/22/429(E127543) is forwarded herewith duly amended in respect of followings ;

Drawings/Facilities/Premises

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	100	Kg.
2	Safety Fuse	6	1	0	1500	Mtrs
3	Electric Detonators	6	3	0	1000	Nos.
4	Ordinary Detonator	6	3	0	1000	Nos.

किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : 3 गुना
Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 3 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2028 तक प्रवृत्त रहेगी।

This Licence shall remain valid till 31st day of March 2028.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।

For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(दीपक कुमार | Deepak Kumar)

विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

कोच्ची | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

- District Magistrate, KOLLAM, Kerala with reference to his Noc No: TLKKTR/4049/2023 Dated: 25/09/2023
- Superintendent of Police, KOLLAM, Kerala.

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.



T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Reg. No. 3/99/KLM

Digitally signed by Deepak Kumar
Reason: Licence No. : E/SE/KL/22/429
Location:Ernakulam [E127543]
Date:15-07-2024 15:05:29 PM

मैगजीन में वर्ग 1, 2, 3, 4, 5, 6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 | अनुच्छेद 3 (ख) से (ग) | में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SE/KL/22/429(E127543) की शर्तें निम्नलिखित हैं।

The following are the conditions of licence number E/SE/KL/22/429(E127543) to possess for sale or use, explosives of Class 1, 2, 3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

1. परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।

The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.

2. विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।

The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.

3. मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।

The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

4. पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।

The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.

5. दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके; परंतु -

(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पत्तीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पत्तीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थापन के रखे जा सकते हैं।

(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।

(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।

Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—

(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately.

6. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.

7. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।

(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।

(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लाइसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिह्न प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.

(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

8. मैगजीन के भीतरी भाग या उसमें लगी बेंचों, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचे, शेल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे; परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्यकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so fixed or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संचाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उसी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्कर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता।

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा।

परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory;

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day;

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्तुओं, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो।

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion;

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Reg. No. 3/99/KLM

11. अनुज्ञापिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखना और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे।
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी)। यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
तड़ित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा।
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुष्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतश्चिघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञापिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी व्यक्तिगत समयों पर अनुज्ञात परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञात फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पत्ती खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding:
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
एरणाकुलम | Ernakulam


Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Reg. No. 3/99/KLM



Digitally signed by Deepak Kumar
Reason: Licence No. : E/SE/KL/22/429
Location: Ernakulam [E127543]
Date: 15-07-2024 15:05:55 PM

DETAILED PLAN TO STORE 100 KG CLASS II, 1500 MTRS(CLASS VI DIV 1) SAFETY FUSE, 1000 NOS OF OD (CLASS VI DIV - III), 1000 NOS OF ED (CLASS VI DIV - III) FOR AJIMON S IN R SY NO. 375/1 BLOCK NO. 10, PUTHOOR VILLAGE, KOTTARAKKARA TALUK, KOLLAM- 690520



ATTESTED
VERIFIED AND CERTIFIED THAT
THIS IS THE TRUE COPY
OF THE ORIGINAL

T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Rtg. No. 3/99/KLM

NOTARIAL REGISTER PARTICULARS
Vol. No. III Page No. 138
Sl. No. 143 Date 12-2-24

T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Rtg. No. 3/99/KLM

QUARRY PREMISE'S DETAILS

ReSurvey No - 375/1,375/2,375/3 of Puthoor Village
381/1,381/1-2,381/1-3,381/8,381/10
of Kalayapuram Village
Block no - 10
Village - Puthoor
Taluk - Kottarakkara
Nearest Police Station - Puthoor
Nearest Railway Station - Kottarakkara
Nearest Fire Station - Kottarakkara
District - Kollam
State - Kerala

MAGAZINE PREMISE'S DETAILS

ReSurvey No - 375/1
Block no - 10
Village - Puthoor
Taluk - Kottarakkara
Nearest Police Station - Puthoor
Nearest Railway Station - Kottarakkara
Nearest Fire Station - Kottarakkara
District - Kollam
State - Kerala

NAME AND SIGNATURE OF APPLICANT

AJIMON S
PARAMBIVILA VEEDU
KAMBALADI PORUVAZHI(P.O), KOTTARAKKARA
KOLLAM DISTRICT, KERALA-690520

Signature of Applicant :

SURVEYED BY :

SUBITH S PANIKKER
NTC/KER/14.NO.0055129
MOB:+91 9995 450 025

All Dimensions Are In Metre
Scale 1:1000 (A3)

T. SASIDHARAN UNNITHAN
ADVOCATE, Roll No. K/335/1976
Notary, Rtg. No. 3/99/KLM

Digitally signed by Deepak Kumar
Reason: Licence No. : E/SE/KL/22/429
Location: Ernakulam [E127543]
Date: 15-07-2024 15:06:10 PM



Cert. No. SMR-E/25021704000015929

भारत सरकार/Government of India

खान अधिनियम, 1952/Mines Act, 1952

खनन परीक्षा बोर्ड/ Board of Mining Examinations

द्वितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र

SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY

(केवल ओपनकास्ट खानों तक सीमित)

(Restricted to mines having opencast workings only)

(धात्विकीय खान विनियम, 1961 के अन्तर्गत)

(Under the Metalliferous Mines Regulations, 1961)

श्री अरविंथ एम सुपुत्र श्री मोहन जी जिनकी जन्म तिथि 02-07-1997 है, को विहित अहर्ताप एवं अनुभव प्राप्त करने का सन्तोषजनक प्रमाण प्रस्तुत करने पर एतद्वारा केवल ओपनकास्ट धात्विकीय खानों के प्रबंधन हेतु द्वितीय श्रेणी प्रबंधक सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 23-11-2024 से प्रभावी है।

Shri ARAVINTH M Son of Shri MOHAN G born on 02-07-1997 having given satisfactory evidence of possessing the prescribed qualifications and experience is hereby granted **SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY** to manage the metalliferous mines having opencast workings only. This certificate is effective from 23-11-2024

सचिव
खनन परीक्षा बोर्ड
Secretary
Board of Mining Examination

अध्यक्ष
खनन परीक्षा बोर्ड
Chairman
Board of Mining Examination

Note :- This is a digitally signed certificate and does not require any physical signature.

Signed and Sealed
Date : 13-08-2025

TEST REPORT

ULR No: TC1293925000025881F		
LRI No: SEAAL25110285A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 31-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110063
Sample Name	Ambient Air	Sample Received on	01-11-2025
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sampled by	Lab Authorized Sampler	Test Completed on	04-11-2025

DETAILS OF SAMPLING			
Sampling Location	North Side Boundary	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	69 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	43.5	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	21.6	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025882F		
LRI No: SEAAL25110286A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 31-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110064
Sample Name	Ambient Air	Sample Received on	01-11-2025
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sampled by	Lab Authorized Sampler	Test Completed on	04-11-2025

DETAILS OF SAMPLING			
Sampling Location	East Side Boundary	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	69 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	45.1	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	22.6	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025883F		
LRI No: SEAAL25110287A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 31-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110065
Sample Name	Ambient Air	Sample Received on	01-11-2025
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sampled by	Lab Authorized Sampler	Test Completed on	04-11-2025

DETAILS OF SAMPLING			
Sampling Location	South Side Boundary	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	69 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	44.8	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	22.1	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025884F		
LRI No: SEAAL25110288A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 31-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110066
Sample Name	Ambient Air	Sample Received on	01-11-2025
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sampled by	Lab Authorized Sampler	Test Completed on	04-11-2025

DETAILS OF SAMPLING			
Sampling Location	West Side Boundary	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/CHL /SOP/7.3/02	Humidity	69 %

INFORMATION PROVIDED BY CUSTOMER - SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

TEST RESULTS - CHEMICAL DISCIPLINE					
Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	42.6	100 (Max)
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	21.1	60 (Max)
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	µg/m ³	<4.00	80 (Max)
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	<4.00	80 (Max)

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory
 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.
 Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025889F

LRI No.: SEAAL25110293A

Date: 04-11-2025

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request Date: 31-10-2025

SAMPLE DETAILS

Product Category	Pollution & Environment	Sample Code	EN25110071
Sample Name	Soil	Sample Received on	01-11-2025
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sample Quantity & Packing	500g in Polyethene Bag	Test Completed on	04-11-2025
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

DETAILS OF SAMPLING

Sample Source	Project site	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/CHL/SOP/7.3/01	Sample Temperature	31°C

SAMPLING SITE DETAILS

Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	District	Kerala

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	pH @ 25°C	IS 10158: 1982	---	6.21
2	Conductivity	IS 14767: 2000	µS/cm	85.0
3	Water Holding Capacity	SEAAL/EN/SLS/SOP/01	%	60.8


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.- 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025889F

LRI No.: SEAAL25110293A

Date: 04-11-2025

Page 2 of 2

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS		TEST METHOD	UNIT	RESULT
4	Particle Size Distribution	Clay	SEAAL/CHL/SOP/7.2/21	%	40.5
		Sand	SEAAL/CHL/SOP/7.2/21	%	48.8
		Silt	SEAAL/CHL/SOP/7.2/21	%	10.7
5	Organic Matter		IS 2720 (Part 22):1992	%	0.38
6	Sodium as Na		USEPA 7000B:2007	mg/kg	1125
7	Chlorides		SEAAL/CHL/SOP/7.2/16	mg/kg	225
8	Sulphur as SO ₄		SEAAL/CHL/SOP/7.2/23	mg/100g	19.8
9	Total Kjeldahl Nitrogen as N		IS 14684 :1999	%	0.24
10	Available Potassium		SEAAL/CHL/SOP/7.2/11	meq/100g	58.5
11	Total Phosphorous as P		IS 10158:1982	mg/kg	1010

Remarks:

End of Report


Shency Joy
TM - Chemical
 Checked by


Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.- 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025885F		
LRI No: SEAAL25110289A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 30-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110067
Sample Name	Ambient Noise	Monitoring Commenced on	30-10-2025
Monitoring Location	North Side Boundary	Monitoring Completed on	31-10-2025
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	39.2	14:00	52.5	22:00	39.1
07:00	42.0	15:00	52.9	23:00	38.0
08:00	46.5	16:00	54.1	24:00	39.5
09:00	50.1	17:00	54.5	01:00	37.6
10:00	52.5	18:00	48.9	02:00	37.2
11:00	55.8	19:00	45.2	03:00	38.8
12:00	52.9	20:00	41.2	04:00	39.5
13:00	52.1	21:00	40.7	05:00	41.4

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	52.4
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	41.1

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory

 Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.
 'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025886F		
LRI No: SEAAL25110290A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 30-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110068
Sample Name	Ambient Noise	Monitoring Commenced on	30-10-2025
Monitoring Location	East Side Boundary	Monitoring Completed on	31-10-2025
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	38.7	14:00	51.9	22:00	39.8
07:00	41.5	15:00	52.3	23:00	38.6
08:00	45.9	16:00	53.5	24:00	40.1
09:00	49.5	17:00	53.9	01:00	38.2
10:00	51.9	18:00	48.3	02:00	37.8
11:00	55.1	19:00	44.7	03:00	39.4
12:00	52.3	20:00	40.7	04:00	40.1
13:00	51.5	21:00	40.2	05:00	42.1


TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	53.1
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	40.4

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by

Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.- 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025887F		
LRI No: SEAAL25110291A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 30-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110069
Sample Name	Ambient Noise	Monitoring Commenced on	30-10-2025
Monitoring Location	South Side Boundary	Monitoring Completed on	31-10-2025
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	38.1	14:00	51.1	22:00	39.6
07:00	40.9	15:00	51.5	23:00	38.4
08:00	45.2	16:00	52.7	24:00	39.9
09:00	48.7	17:00	53.1	01:00	38.0
10:00	51.1	18:00	47.6	02:00	37.6
11:00	54.2	19:00	44.0	03:00	39.2
12:00	51.5	20:00	40.1	04:00	39.9
13:00	50.7	21:00	39.6	05:00	41.9


TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	51.6
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	40.9

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by

Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC1293925000025888F		
LRI No: SEAAL25110292A	Date: 04-11-2025	Page 1 of 1

CUSTOMER DETAILS	
Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request date: 30-10-2025

SAMPLE DETAILS			
Product Category	Atmospheric Pollution	Sample Code	EN25110070
Sample Name	Ambient Noise	Monitoring Commenced on	30-10-2025
Monitoring Location	West Side Boundary	Monitoring Completed on	31-10-2025
Test Method	IS 9989:1981	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS			
Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

MONITORING RESULTS					
TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	37.8	14:00	50.7	22:00	39.8
07:00	40.6	15:00	51.1	23:00	38.6
08:00	44.9	16:00	52.3	24:00	40.1
09:00	48.4	17:00	52.7	01:00	38.2
10:00	50.7	18:00	47.2	02:00	37.8
11:00	53.8	19:00	43.7	03:00	39.4
12:00	51.1	20:00	39.8	04:00	40.1
13:00	50.3	21:00	39.3	05:00	42.1

TEST RESULTS - CHEMICAL DISCIPLINE			
Sl. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	51.2
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	41.1

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No.: TC1293925000025879F

LRI No.: SEAAL25110283A

Date: 04-11-2025

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request Date: 31-10-2025

SAMPLE DETAILS

Product Category	Water	Sample Code	WT25110051
Sample Name	Surface Water	Sample Received on	01-11-2025
Sample Description by Customer	Quarry Water	Temperature @ Receipt	4°C
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sample Quantity& Packing	2 L & 125 ml in a Plastic Bottle	Test Completed on	04-11-2025
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS

Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

DETAILS OF SAMPLING


Sample Source	Outside -North West Side	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/QAD/SOP/7.3/01	Sample Temperature	27°C

TEST RESULTS- CHEMICAL DISCIPLINE


Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 2021	Hazen	1	5 (Max)
2	Odour	IS 3025 (Part 5): 2018	---	Agreeable	Agreeable



Shency Joy
TM - Chemical
 Checked by

Remya B.
TM-Biological
 Authorized Signatory



Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No.: TC1293925000025879F

LRI No.: SEAAL25110283A

Date: 04-11-2025

Page 2 of 2

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
3	Turbidity	IS 3025 (Part 10): 2023	NTU	0.2	1.0 (Max)
4	pH @ 25°C	IS 3025 (Part 11): 2022	---	7.01	6.50-8.50
5	Conductivity	IS 3025 (Part 14): 2013	µS/cm	136	---
6	Total Dissolved Solids @ 180°C	IS 3025 (Part 16): 2023	mg/L	88.0	500 (Max)
7	Total Hardness as CaCO ₃	IS 3025 (Part 21): 2009	mg/L	49.0	200 (Max)
8	Calcium as Ca	IS 3025 (Part 40): 1991	mg/L	17.2	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 2023	mg/L	1.49	30 (Max)
10	Chloride as Cl	IS 3025 (Part 32): 1988	mg/L	25.1	250 (Max)
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23): 2023	mg/L	43.2	200 (Max)
12	Iron as Fe	IS 3025 (Part 53): 2003	mg/L	0.31	1 (Max)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1): 2022	mg/L	1.60	200 (Max)

TEST RESULTS - BIOLOGICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Total Coliform Bacteria	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml
2	<i>E.coli</i>	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Remya B.
TM-Biological
 Authorized Signatory



Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory. Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No.: TC1293925000025880F

LRI No.: SEAAL25110284A

Date: 04-11-2025

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Ajimon S S/O Sulaiman Rawther Parambivila veedu Kambaladi, Poruvazhy, Kollam District
Customer Reference	Test Request Date: 31-10-2025

SAMPLE DETAILS

Product Category	Water	Sample Code	WT25110052
Sample Name	Surface Water	Sample Received on	01-11-2025
Sample Description by Customer	Pond Water	Temperature @ Receipt	4°C
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	03-11-2025
Sample Quantity& Packing	2 L & 125 ml in a Plastic Bottle	Test Completed on	04-11-2025
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

SAMPLING SITE DETAILS

Re Survey No	375/1,375/2,375/3 of Puthoor Village 381/1,381/1-2,381/1-3,381/8,381/10 of Kalayapuram		
Village	Puthoor & Kalayapuram	Taluk	Kottarakkara
District	Kollam	State	Kerala

DETAILS OF SAMPLING


Sample Source	Outside -South West Side	Date of Sampling	31-10-2025
Sampling Procedure	SEAAL/QAD/SOP/7.3/01	Sample Temperature	27°C

TEST RESULTS- CHEMICAL DISCIPLINE


Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
1	Colour	IS 3025 (Part 4): 2021	Hazen	1	5 (Max)
2	Odour	IS 3025 (Part 5): 2018	---	Agreeable	Agreeable



Shency Joy
TM - Chemical
 Checked by

Remya B.
TM-Biological
 Authorized Signatory



Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory, Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist.-683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No.: TC1293925000025880F

LRI No.: SEAAL25110284A

Date: 04-11-2025

Page 2 of 2

TEST RESULTS- CHEMICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500: 2012
3	Turbidity	IS 3025 (Part 10): 2023	NTU	0.5	1.0 (Max)
4	pH @ 25°C	IS 3025 (Part 11): 2022	---	6.59	6.50-8.50
5	Conductivity	IS 3025 (Part 14): 2013	μS/cm	172	---
6	Total Dissolved Solids @ 180°C	IS 3025 (Part 16): 2023	mg/L	108	500 (Max)
7	Total Hardness as CaCO ₃	IS 3025 (Part 21): 2009	mg/L	36.7	200 (Max)
8	Calcium as Ca	IS 3025 (Part 40): 1991	mg/L	10.7	75 (Max)
9	Magnesium as Mg	IS 3025 (Part 46): 2023	mg/L	2.48	30 (Max)
10	Chloride as Cl	IS 3025 (Part 32): 1988	mg/L	32.8	250 (Max)
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23): 2023	mg/L	50.4	200 (Max)
12	Iron as Fe	IS 3025 (Part 53): 2003	mg/L	0.26	1 (Max)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1): 2022	mg/L	2.70	200 (Max)

TEST RESULTS - BIOLOGICAL DISCIPLINE

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Total Coliform Bacteria	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml
2	<i>E.coli</i>	IS 15185: 2016	----	Absent/100 ml	Absent/100 ml

Remarks:

End of Report



Shency Joy
TM - Chemical
 Checked by




Remya B.
TM-Biological
 Authorized Signatory



Ramar R.
Technical Head
 Authorized Signatory

The results are related to the samples tested; This test report shall not be reproduced except in full, without the written approval of the laboratory. Unless requested by the customer; the samples will not be retained for more than 7 days from the date of report.

Standards Environmental & Analytical Laboratories

Accreditation & Certification:

NABL accredited Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC-12939; ISO 45001:2018 OHSAS certified laboratory.

Approval & Recognition: MoEF recognized Environmental Laboratory; "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110.

Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.standardslab.in, E-mail: seaalab@gmail.com

1980 from Kottarakara
not available. And also
of Sale Deed No. 1025/
Deed No. 2006/1980 are
it is not handed over to

ing individuals, banks,
custody possession of the
Deed No. 1025/2021 and
2006/1980 of Kottarakara
ring any claim or interest in
ies or any part thereof by
ge gift, trust, inheritance,
se are required to intimate
Asst. General Manager,
a, Rasmec, Kottarakara
date of hereof as otherwise
be completed without any
to any such which will be
d.

General Manager
, RASMEC, Kottarakara

OF NAME

OF NAME

CBSE Reg.No.
0043, Certificate
oll No. 4308989, Raj
kkara P.O., Kollam
n- 691578, Kerala
ge my name from
ARUNRAJ R as per
avit dated 19.09.2025
tary Public Adv. V.T.
am.

residing at Padav
House, Olessa P.O,
Kottayam - 686014, Kerala
do hereby change my name
from **STEEPHAN THOMAS**
to **STEPHEN THOMAS**.

PUBLIC NOTICE

NOTICE

For the attention of the public
Environmental Clearance for
granite building stone quarrying
in survey number 375/1, 375/2,
375/3 (puthoor village), 381/1,
381/1-2, 381/1-3, 381/8, 381/10
(kalayapuram village) Kottarakkara
taluk kollam district kerala state
has been obtained to Mr Ajimon SP
arambivila veedu, kampalady,
poruvazhy po, from the state
Environment Impact Assessment
Authority vide order No: 1969/
EC2/2022/SEIAA Dated 22.12.2023.
Copy of this order is available at
the State Environment Impact
Assessment Authority office. Copy
of the order is available in the
website:
<http://environmentalclearance.nic.in> also.

War
high
w
front
in Err

9



OPPO A76

ICE

1994 മാർച്ച് വർഷത്തെ
സ്റ്റർ നമ്പറിലുള്ള എസ്.
സി. ബുക്ക് വീണ്ടെടു
ത്തവിധം നഷ്ടപ്പെട്ട
സ്തുത ബുക്കിന്റെ ഡ്യു
കർപ്പിനായി പരീക്ഷാ
യുടെ സെക്രട്ടറി മുമ്പാ
നുസരണമുള്ള അപേ
തിന് തീരുമാനിച്ചിരിക്കു
ഷപമുള്ളവർ ഈ പര
15 ദിവസത്തിനുള്ളിൽ
ബോർഡ് ഓഫ് പബ്ലിക്
നേഷൻസ്, പരീക്ഷാഭവ
തിരുവനന്തപുരം എന്ന
ിൽ രേഖാമൂലം പരാതി
താണ്.

പിട,
തട്ടാമല

CHANGE OF NAME

NOUSHAD HOLDER OF
818905 RESIDING AT
W, KADATHOOR P. O.,
KARUNAGAPPALLY,
IN-690523 DO HEREBY
NAME TO JASMINE A
MY AADHAR CARD.

നോട്ടീസ്
ജില്ലയിൽ വെയിലൂർ വില്ലേജിൽ
യിൽ ഇടവിളാകം കടമനപുതു
ർദ്ദിനൻ മകൻ 44 വയസ്സുള്ള ജയ
രെയും ട്രൈപ്പിൾ എസ്. എസ്. എൽ. ടി. ബുക്ക് വീണ്ടെടു
തിനാൽ പ്രസ്തുത ബുക്കിന്റെ ഡ്യു
പ്ലിക്കേറ്റ് പകർപ്പിനായി പരീക്ഷ
കമ്മീഷണറുടെ സെക്രട്ടറി മുമ്പാ
കെ നിയമാനുസരണമുള്ള അപേ
ക്ഷ നൽകുന്നതിന് തീരുമാനിച്ചിരിക്ക
ന്നു. ആക്ഷേപമുള്ളവർ ഈ പ
സ്യം വന്ന് 15 ദിവസത്തിനുള്ളിൽ
സെക്രട്ടറി, ബോർഡ് ഓഫ് പബ്ലിക്
എക്സാമിനേഷൻസ്, പരീക്ഷാഭവ
തിരുവനന്തപുരം എന്ന

നോട്ടീസ്

പൊതുജന ശ്രദ്ധക്കായി.
കേരള സംസ്ഥാനം, കൊല്ലം ജില്ല,
കൊട്ടാരക്കര താലൂക്കിൽ
കലയപുരം, പുത്തൂർ വില്ലേജുകളിൽപ്പെട്ട സർവ്വേ നമ്പർ 375/1,
375/2, 375/3, 381/1, 381/1-2, 381/1-3,
381/8, 381/10 സ്ഥലത്തുനിന്നും
പാറ ഖനനം ചെയ്യുന്നതിന് വേ
ണ്ടി അനുമതി.
അജിമോൻ. S, S/o. സുലൈമാൻ
റാവുത്തർ, പറമ്പിവിള വീട്, കമ്പ
ലടി, പോരുവഴി P.O. എന്നയാൾ
ക്ക് സംസ്ഥാന പരിസ്ഥിതി ഇം
പാക്ട് അസസ്മെന്റ് അതോറി
റ്റിയിൽനിന്നും ഓർഡർ പ്രകാ
രം 1969/EC2/2022/SEIAA, തീ
യതി 22/12/2023 ലഭിച്ചിരിക്കു
ന്നു. ഈ ഓർഡറിന്റെ പകർപ്പ്
സംസ്ഥാന പരിസ്ഥിതി ഇംപാ
ക്ട് അസസ്മെന്റ് അതോറിറ്റി
ഓഫീസിൽ ലഭ്യമാണ്. കൂടാതെ
<http://environmentalclearance.nic.in> എന്ന വെബ്സൈറ്റിൽ കൂടി
യും ലഭ്യമാണ്.

ബഹുമാനപ്പെട്ട കരുനാഗപ്പള്ളി മുൻസിഫ് കോടതി മുമ്പാകെ

IA 1/2025, IA 2/2025 and IA 3 / 2025,
IN RP No.. 36/ 2024 IN FDA
No.854/2019 IN OS 376/2002

ഫർജിക്കാർ
(1) ഐഷ്വര്യ, ജമീലാ മൻസിൽ ബവുട്ട്
പാറ, ഉറുവച്ചാൽ, കണ്ണൂർ
(2) ടിയിൽ മുസ്തഫ
(3) നാസർ എൻ.എൻ മൻസിൽ
കസുംതഴ പി.ഒ, കണ്ണൂർ
(4) ജമീല ജമീലാ മൻസിൽ
ബവുട്ട് പാറ, ഉറുവച്ചാൽ, കണ്ണൂർ

CHANGE OF NAME

I, ANILKUMAR KARTHIKA HOLD
OF PASSPORT NUMBER N12249
DO HEREBY CHANGE MY NA
TO KARTHIKA S NAIR AS PER
AADHAAR No. 5723 8357 9209 F
ALL PURPOSES. I ALSO UNDERT
TO EFFECT THE CHANGE IN ALL
OTHER PUBLIC DOCUMENTS.

CHANGE OF NAME

I, ABIHA MARIYAM MOHAMM
holder of Passport Number B 6516
do hereby change my name to (Gi
Name: ABIHA MARYAM Surnar
MOHAMMED as per my Aadha
Card Number 6218 3184 5549 for
purposes. I also undertake to effe
the change in all my other pub
documents.

നോട്ടീസ്

എന്റെ വക 1974 മാർച്ച് വർഷത്തെ
756230 രജിസ്റ്റർ നമ്പറിലുള്ള എ
എസ്. എൽ. സി. ബുക്ക് വീണ്ടെടു
ക്കാൻ പറ്റാത്തവിധം നഷ്ടപ്പെ
തിനാൽ പ്രസ്തുത ബുക്കിന്റെ ഡ്യു
പ്ലിക്കേറ്റ് പകർപ്പിനായി പരീക്ഷ
കമ്മീഷണറുടെ സെക്രട്ടറി മുമ്പാ
കെ നിയമാനുസരണമുള്ള അപേ
ക്ഷ നൽകുന്നതിന് തീരുമാനിച്ചിരിക്ക
ന്നു. ആക്ഷേപമുള്ളവർ ഈ പ
സ്യം വന്ന് 15 ദിവസത്തിനുള്ളിൽ
സെക്രട്ടറി, ബോർഡ് ഓഫ് പബ്ലിക്
എക്സാമിനേഷൻസ്, പരീക്ഷാഭവ
തിരുവനന്തപുരം എന്ന